


## CALSENSE PRE-ASSEMBLED ENCLOSURE INSTALLATION DETAIL



DOME ANTENNAS:

DIGITAL RADIO


MODEL ANT-1 MODEL ANT-1-RRE DIGITAL RADIO AND RRE RADIO REMOTE OPTION MODEL LR-DOME LOCAL RADIO

MODEL LR-DOME-RRE LOCAL RADIO AND RRE RADIO REMOTE OPTION MODEL CR-DOME CDPD RADIO

MODEL CR-DOME-RRE CDPD RADIO AND RRE RADIO REMOTE OPTION

MODEL SR-DOME SPREAD SPECTRUM RADIO

MODEL SR-DOME-RRE SPREAD SPECTRUM RADIO AND RRE RADIO REMOTE OPTION



APPROVED BY:

CITY ENGINEER

11/23/09

DATE

CITY OF CORONA

IRRIGATION CONTROLLER INSTALLATION (STAND ALONE)

REVISION DESCRIPTION

BY

DATE

STANDARD PLAN NUMBER:

804


SHT 2 OF 3

## CALSENSE PRE-ASSEMBLED HEAVY-DUTY ENCLOSURE

MODEL SSE AND MODEL SSE-R (WITH OPTIONAL DOME ANTENNA)

## DESCRIPTION

THE CALSENSE HEAVY-DUTY ENCLOSURE SHOWN BELOW IS A COMPLETELY ASSEMBLED UNIT, READY FOR ANY CALSENSE CONTROLLER. THE CONTROLLER PANEL IS MOUNTED AT A 25 DEGREE ANGLE FOR EASY ACCESS AND VIEWING. THE ENCLOSURE IS CONSTRUCTED OF WEATHER AND VANDAL RESISTANT STAINLESS STEEL. THE UNIT COMES COMPLETE WITH TP-1 AND TP-110 TRANSIENT AND LIGHTNING PROTECTION, FACTORY LABELED TERMINALS, GFI OUTLET AND KEYED SWITCH. IT IS ALSO AVAILABLE WITH A PRE-MOUNTED RADIO ANTENNA FOR USE WITH THE CALSENSE DIGITAL RADIO AND LOCAL RADIO CONTROLLERS. IT FEATURES A SECURITY-TIGHT LOCKING MECHANISM, LOUVERED VENTS WITH SPLASH GUARDS AND BEE/WASP SCREENS, AND COMES WITH A 5 YEAR WARRANTY FOR THE ENCLOSURE AND THE CALSENSE INSTALLED EQUIPMENT WITHIN. THE CALSENSE ENCLOSURE IS FULLY UL APPROVED. SEE STANDARD PLAN 804-2 FOR INSTALLATION DETAIL.



## **TECHNICAL SPECIFICATIONS**

**DIMENSIONS:** 

CONSTRUCTION:

HEIGHT:

38 INCHES 14 INCHES

MATERIAL:

304 STAINLESS STEEL

WIDTH: DEPTH:

12 INCHES

12 GAUGE

WEIGHT:

**82 LBS** 

BODY:

14 GAUGE

No. C 45679

APPROVED BY:

11/23/09

CITY ENGINEER KIP D. FIELD

DATE

IRRIGATION CONTROLLER INSTALLATION (STAND ALONE)

CITY OF CORONA

REVISION DESCRIPTION

BY

DATE

STANDARD PLAN NUMBER:

804

sнт 3 оғ 3