



NOTE:

1. AREA AROUND BOX CAN EITHER BE PLANTED, HARDSCAPE, OR A COMBINATION.
2. TOP OF BOX:  
 AT FINISHED GRADE FOR TURF AREAS  
 1" ABOVE GRADE FOR PLANTER AREAS
3. USE PLASTIC LOCKING RECTANGULAR BOXES EXCEPT IN SIDEWALK OR SLAB AREAS. PULL BOXES IN HARDSCAPE SHALL BE APPROVED BY DIRECTOR, AND INSTALLED IN CONCRETE BOX.
4. PLASTIC WIRE PULL BOX TO BE A MINIMUM OF 2', MAXIMUM OF 3' FROM IRRIGATION CONTROL VALVE BOX.
5. PLACE IRRIGATION WIRE IN CONDUIT IF NOT PROTECTED BY IRRIGATION MAINLINE.
6. A. 10" ROUND VALVE BOX FOR 1" OR LESS SIZED CONDUIT.  
 B. 12"x18" VALVE BOX FOR 1"-2 1/2" CONDUIT.  
 C. 15"x22" JUMBO VALVE BOX FOR 3" OR GREATER CONDUIT.



APPROVED BY:  
*Kip D. Field* 11/23/09  
 CITY ENGINEER DATE  
 KIP D. FIELD

CITY OF CORONA

IRRIGATION WIRE PULL BOX

REVISION	DESCRIPTION	BY	DATE

STANDARD PLAN NUMBER: 820

SHT 1 OF 1