

PLANTING

1. PARKWAYS


- A. STREET TREES SHALL BE PLANTED IN STRICT CONFORMANCE TO CITY STANDARD PLANS 614, 615 , 616, AND 617.
- B. STREET TREES SHALL BE DETERMINED AND ASSIGNED AT THE TIME OF THE DPR REVIEW BY THE PARKS AND COMMUNITY SERVICES DEPARTMENT.
- C. ALL STREET TREES SHALL HAVE A MINIMUM OF 1" TRUNK CALIPER, 4' ABOVE THE GROUND, AND SHALL BE 24" BOX MINIMUM.
- D. PARKWAYS SHALL BE GRADED 1/2" BELOW CONCRETE AT SIDEWALK AND SLOPE 2% TOWARD CURB.

2. SLOPES & PLANTERS

- A. ALL PARKS SHALL CONTAIN PLANTINGS OF TREES, SHRUBS, SUBSHRUBS, AND AND GROUND COVERS.
- B. TREES SHALL BE PLANTED AT A RATE OF 2 - 24" BOX AND 1 - 15 GAL SIZE PER 1,000 SQUARE FEET. THE CITY REPRESENTATIVE IN THE FIELD MAY REDUCE THIS NUMBER BASED ON ACTUAL CONDITIONS.
- C. 5 GALLON SHRUBS SHALL BE IN LARGE SWEEPING MASS PLANTINGS. THEY ARE TO BE INSTALLED IN TRIANGULAR PATTERN AT THE RADIUS OF SHRUB WIDTH.
- D. A 3" LAYER OF MEDIUM GRIND MULCH IS TO BE APPLIED THROUGHOUT ALL PARK PLANTING AREAS. SUBMITTAL TO BE APPROVED BY CITY INSPECTOR. HYDROSEED MAY BE SUBSTITUTE FOR MULCH WITH APPROVAL OF THE PARKS AND COMMUNITY SERVICES DIRECTOR.
- E. ALL TREES SHALL BE PLANTED IN ACCORDANCE WITH CITY STANDARD PLAN 818. ROOT PANELS SHALL BE REQUIRED FOR ALL TREES CLOSER THAN 6 (SIX) FEET TO HARDSCAPE.
- F. NO SHRUBS OR TREES SHALL BE PLANTED CLOSER THAN DIAMETER OF PLANT WIDTH TO ANY WALKWAYS, DITCHES, WALLS OR PEDESTALS UNLESS OTHERWISE DICTATED BY FIELD CONDITIONS AND APPROVED BY PARKS AND COMMUNITY SERVICES DIRECTOR.
- G. NO SHRUBS OR TREES SHALL BE PLANTED CLOSER THAN ITS DIAMETER AT MATURITY TO ANY WALLS, FENCES, WALKWAYS, PEDESTALS OR OTHER LIKE IMPROVEMENTS UNLESS DICTATED BY FIELD CONDITIONS AND APPROVED IN WRITING BY THE DIRECTOR OF PARKS AND COMMUNITY SERVICES OR HIS/HER DESIGNEE.

(TO BE PLACED ON)
(ALL PARK PLANS)



APPROVED BY:

 11/23/09
 CITY ENGINEER DATE
 KIP D. FIELD

CITY OF CORONA

PLANTING NOTES

REVISION	DESCRIPTION	BY	DATE

STANDARD PLAN NUMBER: **829**


SHT 1 OF 2

PLANTING (CONTINUED)

- H. TREES MUST BE SPACED SO THEY WILL NOT OVERLAP AT MATURITY.
- I. ALL SOIL NEXT TO CURBS AND SIDEWALKS SHALL BE GRADED AT 1" BELOW THE FINISHED SURFACE.
- J. ALL SLOPE SHRUB AND TREE PLANTING LOCATIONS SHALL BE APPROVED BY THE PARKS AND COMMUNITY SERVICES DEPARTMENT PRIOR TO INSTALLATION.
- K. HYDROSEED SEED MIX SHALL BE APPROVED BY THE PARKS AND COMMUNITY SERVICES DEPARTMENT PRIOR TO APPLICATION.
- L. PLANT MATERIAL SHALL BE DISEASE FREE, ACTIVELY GROWING, AND IN A HORTICULTURALLY ACCEPTABLE CONDITION AS DETERMINED BY THE DIRECTOR OF PARKS AND COMMUNITY SERVICES PRIOR TO ACCEPTANCE BY THE CITY. ALL PLANTS SHALL BE ESTABLISHED A MINIMUM OF 60 DAYS.
- M. SOIL AMENDMENTS SHALL BE ADDED TO ALL PLANTING AREAS WITH GRADIENTS 2:1 AND LESS STEEP. (AGRONOMIC SOIL TEST SHALL RECOMMEND SPECIFIC AMOUNTS, SEE CITY STANDARD PLAN 827 "SOIL PREPARATION NOTES")
- N. MULCH SAMPLES MUST BE APPROVED BY THE PARKS & COMMUNITY SERVICES DEPARTMENT PRIOR TO APPLICATION

(TO BE PLACED ON
ALL PARKS PLANS)



APPROVED BY:

 11/23/09
 CITY ENGINEER DATE
 KIP D. FIELD

CITY OF CORONA

PLANTING NOTES

REVISION	DESCRIPTION	BY	DATE

STANDARD PLAN NUMBER: **829** SHT 2 OF 2